


DIN 39

Fixed handles



technical informations

Material

- Version ST: zinc-plated steel, blue passivated.
- Version KT: polyamide based (PA) technopolymer, temperature resistant up to 100 °, black colour, matte finish, threaded bolt steel, blackened.

Assembly

- Type D: with plain shaft.
- Type E: with threaded shaft.

Features and applications

On the official DIN standard sheet you can find additional the sizes 10 and 13.

Standard Elements	Main dimensions					Threaded pin			Weight
	d ₁	d _{4 h13}	l ₁	l ₃	A/F	d ₃	d _{2 H8}	l ₂	
Description									g
DIN 39-ST-16-D	16	10	50	7	3	-	7	11	43
DIN 39-ST-16-E	16	10	50	7	3	M6	-	11	42
DIN 39-ST-20-D	20	13	64	8	4	-	8	13	92
DIN 39-ST-20-E	20	13	64	8	4	M8	-	13	89
DIN 39-ST-25-D	25	16	80	10	5	-	10	14	182

DIN 39-ST-25-E	25	16	80	10	5	M10	-	14	172
DIN 39-ST-32-D	32	20	100	13	6	-	13	21	368
DIN 39-ST-32-E	32	20	100	13	6	M12	-	21	360
DIN 39-ST-36-D	36	22	112	14	8	-	16	26	512
DIN 39-ST-36-E	36	22	112	14	8	M16	-	26	503
DIN 39-KT-20-E	20	13	64	8	4	M8	-	13	27
DIN 39-KT-25-E	25	16	80	10	5	M10	-	14	50
DIN 39-KT-32-E	32	20	100	13	6	M12	-	21	106



ELESA and GANTER models all rights reserved in accordance with the law. Always mention the source when reproducing our drawings.

STANDARD MACHINE ELEMENTS WORLDWIDE